Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

| Product name | : | POLYETHYLENE WAX NV-403 |
|---------------------------|----|--|
| Product Use Description | : | POLYMER ADDITIVES |
| MSDS Number | : | 001903 |
| Company | : | CHEMNOVO NEW MATERIALS TECHNOLOGY(ZHEJIANG) CO., LTD |
| | NC | 9.8 SITONG AVENUE,HUIBU TOWN,CHANGSHAN COUNTY,ZHEJIANG PROVINCE,CHINA |
| For more information call | : | 0570-5582193 |
| In case of emergency call | : | Medical:0570-5582193 (Monday-Friday,8:30am~6:00pm) |
| | | Transportation:+86-13761100378 (24 hours/day,7 days/week) |

SECTION 2 HAZARDS SUMMARIZING

| Emergency Overview | | |
|--------------------------|---|---|
| Form | : | powder |
| Color | : | white |
| Odor | : | slight |
| Hazard Summary | : | Static charges on powders in liquids may ignite |
| | | combustible atmospheres.Accumulations of dust |
| | | from this product in the workplace may increase |
| | | the likelihood or severity of an explosion, |
| | | poduct dust may be irritating to eyes,skin and |
| | | respiratory system. Thermal decomposition can |
| | | lead to release of irritating gases and vapours |
| | | The molten product can cause serious burns. |
| Potential Health Effects | | |
| Skin | : | May cause mechanical irritation |
| | | The molten product can cause serious burns. |
| Eyes | : | May cause mechanical irritation. |
| | | Thermal decomposition can lead to release of |

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

| | | irritating gases and vapours. |
|--------------------|---|--|
| Ingestion | : | Unlikely route of exposure. |
| | | No known effect. |
| Inhalation | : | Thermal decomposition can lead to release of |
| | | irritating gases and vapours. |
| Chronic Exposure | : | None known |
| Aggravated Medical | : | None known Condition |
| Carcinogenicity | : | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA. |

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

| Component | Weight % | CAS NO |
|--------------|----------|-----------|
| Polyethylene | 100 | 9002-88-4 |

SECTION 4 FIRST AID MEASURES

| Inhalation | : | Remove to fresh air. Call a physician if |
|--------------------|---|---|
| | | irritation develops or persists. |
| Skin contact | : | Wash off with soap and water. Call a physician |
| | | if irritation develops or persists. Cool skin |
| | | rapidly with cold water after contact with |
| | | molten material. Do not peel solidified product |
| | | off the skin. Call a physician immediately. |
| Ingestion | : | Unlikely route of exposure. If swallowed, |
| | | rinse mouth with water (only if the person is |
| | | conscious). Never give anything by mouth to an |
| | | unconscious person. Do NOT induce vomiting. |
| | | Consult a physician if necessary. |
| Notes to physician | | |
| Treatment | : | Treat symptomatically |

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

SECTION 5 FIRE-FIGHTING MEASURES

| Flash point | : | ≥230°C open cup |
|-----------------------------|---|---|
| Lower explosion limit | : | not applicable |
| Upper explosion limit | : | not applicable |
| Suitable extinguishing | : | Use extinguishing measures that are appropriate |
| media | | to local circumstances and the surrounding |
| | | environment |
| | | Water mist/Dry chemical/Carbon dioxide (CO2)/Foam |
| | | Do not use a solid water stream as it may |
| | | scatter and spread fire. |
| Specific hazards during | : | Material can create slippery conditions |
| fire fighting | | Watch footing on floors and stairs because of |
| | | possible spreading of molten material. |
| | | Airborne dusts of this product in an enclosed |
| | | space and in the presence of an ignition source |
| | | may constitute an explosion hazard. |
| | | Static charges on powders or powders in liquids |
| | | may ignite combustible atmospheres. |
| | | Cool closed containers exposed to fire with |
| | | water spray. Do not allow run-off from fire |
| | | fighting to enter drains or water courses. |
| | | In case of fire hazardous decomposition |
| | | products may be produced such as: |
| | | Carbon monoxide |
| | | Carbon dioxide (CO2) |
| Special protective | : | In the event of fire and/or explosion do not |
| equipment for fire-fighters | | breathe fumes. Wear self-contained breathing |
| | | apparatus and protective suit. |

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

SECTION 6 ACCIDENTAL RELEASE MEASURES

| Personal precautions | : | Wear personal protective equipment.Unprotected persons must be |
|---------------------------|---|---|
| | | kept away.Ensure adequate ventilation. |
| | | Contact with hot product will cause thermal burns. |
| Environmental precautions | : | Should not be released into the environment. Prevent product from |
| | | entering drains. |
| Methods for cleaning up | : | Avoid dust formation and electrical charging (sparking) because |
| | | dust explosion might occur. Do not create a powder cloud by using |
| | | a brush or compressed air. |
| | | Contain spillage, and then collect with an electrically protected |
| | | vacuum cleaner or by wet-brushing and place in container for |
| | | disposal according to local regulations (see section 13). |
| | | For molten product: |
| | | Spilled material will solidify. Allow to solidify.Scrape up. |
| | | Shovel into suitable container for disposal. |

SECTION 7 HANDLING AND STORAGE

| Handling | : | Wear personal protective equipment. |
|------------------------------|---|---|
| | | Avoid contact with skin and eyes. |
| | | Do not breathe dust. |
| | | Floors, walls and other surfaces must be regularly cleaned. |
| | | Keep away from fire, sparks and heated surfaces. |
| | | Take precautionary measures against static discharges. |
| | | Material can create slippery conditions |
| Advice on protection against | : | All combustible solids have the potential to create |
| fire and explosion | | a dust explosion hazard. The likelihood of an |
| | | explosion can be dependent upon many factors, |
| | | such as the explosive characteristics of the |
| | | material |



Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

Storage

| Requirements for storage | : | Keep containers tightly closed in a dry, cool and |
|--------------------------|---|---|
| areas and containers | | well-ventilated place. |
| | | Keep away from heat and sources of ignition. |
| | | Keep away from direct sunlight. |
| | | Do not store together with: |
| | | Strong oxidizing agents |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

| Protective measures | : | Do not breathe vapours/dust. |
|--------------------------|-----|---|
| | | Avoid contact with skin, eyes and clothing. |
| | | Ensure that eyewash stations and safety showers are |
| | | close to the workstation location. |
| Engineering measures | : | General room ventilation is adequate for storage and |
| | | handling.Provide exhaust ventilation if dust is formed. |
| | | Use adequate ventilation and/or engineering controls |
| | | in high temperature processing to prevent exposure to vapors. |
| Eye protection | : | Wear as appropriate: |
| | | Safety glasses with side-shields |
| | | For molten product: |
| | | Goggles or face shield, giving complete protection |
| | | to eyes |
| Hand protection | : V | Vhen handling hot material, use heat resistant gloves. |
| Skin and body protection | : V | Vear heat protective clothing for handling hot material |
| Respiratory protection | : V | /hen workers are facing concentrations above the exposure |
| | | limit they must use appropriate certified respirators. |
| Hygiene measures | : | Wash hands before breaks and at the end of workday. |
| | | Remove and wash contaminated clothing before re-use. |
| | | Keep working clothes separately. |

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| Form | : | powder |
|-----------------------------|---|------------------|
| Color | : | white |
| Odor | : | slight |
| рН | : | not applicable |
| Boiling point/boiling range | : | not determined |
| Vapor pressure | : | not applicable |
| Relative vapour density | : | not applicable |
| Melting point/range | : | 110±10 ℃ |
| Density | : | 0.92~0.93 g/cm^3 |
| Water solubility | : | negligible |

SECTION 10 STABILITY AND REACTIVITY

| Conditions to avoid | : | Heat, flames and sparks. |
|--------------------------|------|---|
| | | Avoid dust formation and electrical charging (sparking) because |
| | | dust explosion might occur |
| | | Avoid exposure to temperatures exceeding recommended |
| | | processing conditions. Honeywell should be contacted if questions |
| | | arise concerning specific processing condi-tions. |
| Materials to avoid | : | Strong oxidizing agents |
| | | |
| Hazardous decomposition | : | In case of fire hazardous decomposition products may be |
| products | | products produced such as: |
| | | Carbon monoxide Carbon dioxide (CO2) |
| | | |
| Hazardous reactions | : | Hazardous polymerisation does not occur. |
| | | Stable under recommended storage conditions |
| SECTION 11 TOXICOLOGICAL | INFO | ORMATION |

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

| Information on toxicological effects | | | | |
|--------------------------------------|---|---|--|--|
| Acute oral toxicity | : | LD50>2,000mg/kg(rat) | | |
| Irritant effect on skin | | non-irritant | | |
| Irritant effect on eyes | | non-irritant | | |
| Remarks | : | According to experence, the product is considered to be harmless to | | |
| | | health if handled in the correct manner | | |

| SECTION 12 ECOLOGICAL INFORMATION | | | | | |
|------------------------------------|---|---|--|--|--|
| Toxicity | | | | | |
| Persistence and degradability | | | | | |
| Bioaccumulative potential | | | | | |
| Mobility in soil | | | | | |
| Results of PBT and vPvB assessment | | | | | |
| Other adverse effects | | | | | |
| Additional ecotoxicological | : | Product is insoluble in water | | | |
| remarks | | Harmful effects to fish and bacteria:not harmful | | | |
| | | May be separeted out mechanically in treatment plants | | | |

SECTION 13 DISPOSAL CONDIDERATIONS

| Product | : | In accordance with the necessary technical regulations may be |
|---------------------|---|---|
| | | dumped or incinerated with household waste ,after consultation with |
| | | site operator and with the responsible authority |
| Uncleaned packaging | : | Packaging that cannot be cleaned should be disposed of as product |
| | | waste |

SECTION 14 TRANSPORT INFORMATION

- ADR : not restricted
- ADNR : not restricted

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

| DOT | : | not restricted |
|------------------------------|-------|----------------------------------|
| TDG | : | not restricted |
| RID | : | not restricted |
| ΙΑΤΑ | : | not restricted |
| IMDG | : not | restricted |
| Special precautions for user | | See Sections 6 to 8 of this MSDS |
| | | |

Transport in bulk according to : No transport as bulk according IBC-Code Annex II of MARPOL73/78 and the IBC Code

SECTION 15 REGULATORY INFORMATION

Inventories

| 1907/2006 (EU) | : | On the inventory, or in compliance with the inventory |
|--|---|---|
| US. Toxic Substances Control Act | : | On the inventory, or in compliance with the inventory |
| Australia. Industrial Chemical (Notification and Assessment) Act | : | On the inventory, or in compliance with the inventory |
| Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133) | : | On the inventory, or in compliance with the inventory |
| Japan. Kashin-Hou Law List | : | On the inventory, or in compliance with the inventory |
| Korea. Toxic Chemical Control Law (TCCL) List | : | On the inventory, or in compliance with the inventory |

Print Date: 2023-6-17 Version:3.0

According to GHS standard Revision Date:2023-5-30

| Philippines. The Toxic | : | On the inventory, or in compliance with the inventory |
|---|---|---|
| Substances and Hazardous | | |
| and Nuclear Waste Control Act | | |
| China. Inventory of Existing Chemical Substances | : | On the inventory, or in compliance with the inventory |
| NZIOC - New Zealand | : | On the inventory, or in compliance with the inventory |

SECTION 16 OTHER INFORMATION

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible application .Chemnovo makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of the information.Any user of this product is responsible for determining the suitability of Chemnovo's product for its particular application.Nothing included in this information waives ant of Chemnovo's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing.Any existing intellectual/industrial property rights must be observed.Due to possible changes in our products and applicabel national and international regualtions and laws, the status of our products could change.Material Safety Data Sheet providing safety precautions, that should be observed when handling or storing Chemnovo products, are available upon request and are provided in compliance with applicable law. You should obtain and revien the applicabel MSDS information before handling any of these products. For additional information, please contact Chemnovo.